


Optima balcony privacy screen curtain profile




Aluminium, natural anodised

Aluminium, white, RAL 9016


Stock lengths of 4 m and 6 m

Aluminium, grey, RAL 7038


Accessories



Installation accessories



Installation



Services

Plan view (seen from above). State room side.

Bending service

View is always from above with the channel below.




Radii: from 200 mm
90° angle or angle of your choice



Non-standard radii and angles as per sketch

Article description

Order no.



Optima balcony privacy screen curtain profile
for curtain fabrics and tarpaulin panels

Aluminium, natural anodised

20150.10

Aluminium, grey, RAL 7038

20150.11


Aluminium, white, RAL 9016

20150.20



Stock lengths of 4 m and 6 m

Made-to-measure + 20%



C-profile for tie-back system

Aluminium, natural anodised

20155.10

Aluminium, grey, RAL 7038

20155.11

Aluminium, white, RAL 9016




20155.20









Stock lengths of 6 m

Made-to-measure + 20%

	Article description	Order no.
	<p>Angle adapter for C-profile</p> <p>Aluminium, natural anodised</p> <p>Aluminium, grey, RAL 7038</p> <p>Aluminium, white, RAL 9016</p>	<p>21221.10</p> <p>21221.11</p> <p>21221.20</p>
	<p>Side angle adapter for C-profile</p> <p>Aluminium, natural anodised</p> <p>Aluminium, grey, RAL 7038</p> <p>Aluminium, white, RAL 9016</p>	<p>21222.10</p> <p>21222.11</p> <p>21222.20</p>
	<p>Clip for C-profile for tie-back system</p> <p>Plastic, grey</p> <p>Plastic, white</p>	<p>21223.14</p> <p>21223.20</p>
	<p>End cover for C-profile</p> <p>Aluminium, natural anodised</p> <p>Aluminium, grey, RAL 7038</p> <p>Aluminium, white, RAL 9016</p>	<p>21228.10</p> <p>21228.11</p> <p>21228.20</p>

	Article description	Order no.
	Bolts Ø 25 mm for HM-20150 for lowered installation	
	Aluminium, natural anodised	21240.10
	Aluminium, grey, RAL 7038	21240.11
	Aluminium, white, RAL 9016	21240.20
	Stock lengths of 3 m	
	Sleeve 40 x 25 mm for bolt Ø 25 mm	
	Aluminium, natural anodised	21241.10
	Aluminium, grey, RAL 7038	21241.11
	Aluminium, white, RAL 9016	21241.20
	Side cap S20150	
	Aluminium, silver-coloured	21208.10
	Aluminium, grey, RAL 7038	21208.11
	Aluminium, white, RAL 9016	21208.20

	Article description	Order no.
	Ceiling bracket, thickness 6 mm	
	Aluminium, polished	21207.10
	Aluminium, grey, RAL 7038	21207.11
	Aluminium, white, RAL 9016	21207.20
	Open-ended spanner for turning ceiling bracket 21207	19897
	Profile connector V209 aluminium	21209
	Locking device C110, iron with M4x14 threaded pin	25200
	Roller with rubber cover and rotating clamping eyelet for assembly to balcony profile HM-20110 and HM-20150	
	Aluminium grey	21210.14.G
	Aluminium, white	21210.20.G
	Eyelet roller with rotating sewn eyelet for balcony profile HM-20110 and HM-20150	
	Aluminium grey	21211.14.G
	Aluminium, white	21211.20.G

Article description

Order no.

Bending service

Plan view (seen from above). State room side.



Radii: from 200 to 1000 mm

95.20150.1

90° angle or angle of your choice



Non-standard radii and angles as per sketch

95.20150.4

Plan view drawing



Ordering information

- The profile is always seen from above with the glide channel at the bottom
- With profiles with clamping bolt assembly, please state room side
- Radii are always understood as being from the inside of the profile
- Curved designs cannot be returned in the event of incorrect dimensions
- Special bends only with 1:1 template

Diagram 1





Diagram 2



Dimensions: external and view from above

Diagram 3






Diagram 4




Dimensions: external and view from above

Diagram 5



Dimensions: external and view from above

Diagram 6



Dimension a: End of profile to centre of radius / bend

Dimension b: Centre of radius to centre of radius

Dimension c: Centre of radius to end of radius

Dimensions: external and view from above