

# HAMOTEC


Curtain profile systems for **flush-mounted** installation indoors, VS57 standard






Profil.


Curtain profile systems for **flush-mounted** installation indoors, VS57 standard




HM-105 VS57 «maxi»  
Seite / page 1



HM-20105 VS57 «maxi»  
Seite / page 7



HM-20600-GP3 «maxi»  
Seite / page 9




HM-20600-GP5 «maxi»  
Seite / page 13



Profil.

Curtain profile embedded in plaster with "maxi" channel, VS57 standard



Aluminium, natural anodised


Aluminium, white, RAL 9016

Stock lengths of 4 m and 6 m


"maxi" accessories



Installation accessories with 1-channel bracket



Installation accessories with 2-channel bracket



Services

Curved designs, made-to-measure including opening and cover strip inserted into the profile

Bending service

Plan view (seen from above). State room side.



Radii: from 80 mm  
90° angle or angle of your choice



Non-standard radii and angles as per sketch

Installation instructions, see next page

Installation




The plaster protective strip always needs to be inserted **before** the profile is installed.




**Caution:** The opening for the gliders needs to be made before installation.

Installation on concrete





Click in diagonally






**Recommendation:**  
Position a ceiling bracket every 30-40 cm.

Installation on suspended ceiling













Installation with click-in dowel ceiling bracket on metal, wood, plasterboard, etc., suspended ceilings

Installation with 2-channel bracket




Levelled profile system fitted with washer.



	Article description	Order no.
	<p><b>"maxi" curtain profile for embedding in plaster</b></p> <p>Aluminium, natural anodised</p>	<p>105.10</p>
	<p>Aluminium, white, RAL 9016</p>	<p>105.20</p>
	<p>Stock lengths of 4 m and 6 m</p>	<p>Made-to-measure + 20%</p>
	<p><b>"maxi" curtain profile for embedding in plaster with inserted plaster protection strip</b></p> <p>Aluminium, natural anodised</p>	<p>105.10.A</p>
	<p>Aluminium, white, RAL 9016</p>	<p>105.20.A</p>
	<p>Stock lengths of 4 m and 6 m</p>	<p>Made-to-measure + 20%</p>
	<p><b>Plaster protection strip, plastic, white</b></p> <p>60 m rolls</p>	<p>11055.20</p>
	<p><b>Profile connector V5, spring steel</b></p> <p>is fixed to the back of the profile</p>	<p>11003</p>
	<p><b>Ceiling bracket, plastic</b></p> <p>8 mm drill hole <math>\varnothing</math> for dowel <math>\varnothing</math> 8 mm, or screws 4.0/4.5 x ...</p>	<p>11050</p>



	Article description	Order no.
--	---------------------	-----------



**"maxi" curtain profile for embedding in plaster**  
Rear of profile **unfinished**


Aluminium, white, RAL 9016

105.20.Blank



Stock lengths of 6 m

Made-to-measure + 20%



**"maxi" curtain profile for embedding in plaster**  
rear of profile **unfinished**  
with inserted plaster protection strip














Aluminium, white, RAL 9016

105.20.A.Blank




Stock lengths of 6 m

Made-to-measure + 20%

	Article description	Order no.
	<b>Plastic washers for ceiling bracket 11050 for levelling</b>	
	Thickness 1 mm	11056
	Thickness 2 mm	11057
	Thickness 5 mm	11060
	<b>2-channel adapter, plastic</b> <b>Ceiling bracket for the 2-channel installation of HM-105</b>	11020
	<b>Plastic washers for adapter 11020</b>	
	Thickness 1 mm	11021
	Thickness 2 mm	11022
	Thickness 5 mm	11025
	Thickness 3 mm	11023
	<b>Dry lining dowel 12 x 30 mm, plastic</b> <b>for installation on plasterboard</b>	55981
<b>Bending service</b>	<b>Plan view</b> (seen from above). State room side.   Radii: from 80 to 200 mm   Radii: up to 500 mm   Radii: up to 1000 mm  90° angle or angle of your choice   Non-standard radii and angles as per sketch	95105.1  95105.2  95105.3  95105.4


Curtain profile for embedding in plaster, 2-channel with "maxi" channel, VS57 standard




Aluminium, white, RAL 9016

Stock lengths of 4 m, 5 m and 6 m

"maxi" accessories




Installation accessories



Installation

Ceiling installation



Services


**Made-to-measure including opening / insert**  
This profile has been treated with primer



**Handling specification:** Ceiling treatment with primer.

**Curved elements:** 1-channel curved elements can be added.

Article description	Order no.
---------------------	-----------




**2-channel flush curtain profile with "maxi" channel**  
 VS57 standard, for clip bracket installation and treated  
 with primer, plaster protective strip inserted

Aluminium, white, RAL 9016

20105.20.AP


Stock lengths of 4 m, 5 m and 6 m



**Ceiling clip bracket KL20105 / 208**  
 for 2-channel curtain profile HM-20105 and 20208


Plastic

21057



**Dowel with grid pin, plastic**  
 for installation clip 21057 for levelling  
 8 mm drill hole for dowel 8 mm

55960



**Profile connector V20105 / 208**  
 for 2-channel curtain profile HM-20105 and 20208

Unfinished aluminium

21056



**Installation adhesive cartridge, 290 ml**  
 for indoor and outdoor installation

13828

Curtain profile for embedding in plaster with "maxi" channel, VS57 standard

**HM-20600 / GP3**

94,8 mm  
15 mm 64,8 mm 15 mm  
26,5 mm 20,9 mm 20,9 mm 26,5 mm  
8,4 mm 4,6 mm

Panel curtain profile system, up to 3 tracks can be freely selected, complete with profile, plaster protective strip and treated with primer for embedding in plaster.


Profil. Profi.




Aluminium, white, RAL 9016

Stock lengths of 4 m and 6 m

"maxi" accessories



Installation accessories



Services


Made-to-measure including opening/insert, complete with inserted plaster strip



This profile cannot be bent, but can be mitred

Raw aluminium base plate, treated with primer

Installation



**Recommendation:** Position an installation clip every 40-50 cm

Article description

Order no.


**Curtain profile system, 3-channel  
with "maxi" channel**


20613.20.AP

Flush panel curtain system for embedding  
in plaster, white, RAL 9016, pre-assembled  
with primer, profile and cover strip inserted.



Stock lengths of 4 m and 6 m


Made-to-measure + 20%


**Ceiling clip MP-190 black**  
30 x 16 mm oval hole


21055.27


**Installation adhesive cartridge, 290 ml**  
for indoor and outdoor installation

13828

**Curtain accessories for the Hamotec-Line  
panel curtain system**

**Carrier, aluminium, white**  
with hook strip on piping for Hamotec-Line  
panel curtain system

21604.20




Stock lengths of 3 m

Made-to-measure + 20%


**Side cap, white plastic, for carrier**  
with eyelet for sliding rod

21618.20


**Flat profile 30 x 5 mm**

Aluminium, natural anodised

21696.10



Aluminium, white, RAL 9016

21696.20



Stock lengths of 3 m


Made-to-measure + 20%

	Article description	Order no.
	<p><b>Carrier, aluminium, white, fully assembled</b> with side cap 21618.20, made-to-measure (from 80 cm with 3 Clic gliders)</p>	<p>21651.20 21653.20 21655.20 21657.20 21659.20 21661.20 21663.20 21665.20 21667.20 21669.20 21671.20</p>
	<p><b>Carrier, aluminium, white, fully assembled</b> including flat profile 30 x 5 mm white made-to-measure (from 80 cm with 3 Clic gliders) for the Hamotec panel curtain system</p>	<p>21634.20 21635.20 21636.20 21637.20 21638.20 21639.20 21640.20 21641.20 21642.20 21643.20 21644.20</p>






Curtain profile for embedding in plaster with "maxi" channel, VS57 standard




Aluminium, white, RAL 9016

Stock lengths of 4 m and 6 m

"maxi" accessories



Installation accessories



Services


Made-to-measure including opening/insert, complete with inserted plaster strip












This profile cannot be bent, but can be mitred



Raw aluminium base plate, treated with primer

Installation



**Recommendation:** Position an installation clip every 40-50 cm

	Article description	Order no.
	<b>Curtain profile system, 5-channel with "maxi" channel</b> Flush panel curtain profile system for embedding in plaster, white, RAL 9016, pre-assembled with primer, profiles and cover strip inserted.	20625.20.AP
	Stock lengths of 4 m and 6 m <span style="float: right;">Made-to-measure + 20%</span>	
	<b>Installation panel MP-190, black plastic</b> 30 x 16 mm oval hole	21055.27
	<b>Installation adhesive cartridge, 290 ml</b> for indoor and outdoor installation	13828
<b>Curtain accessories for the Hamotec-Line panel curtain system</b>		
	<b>Carrier, aluminium, white</b> with hook strip on piping for Hamotec-Line panel curtain system	21604.20
	Stock lengths of 3 m <span style="float: right;">Made-to-measure + 20%</span>	
	<b>Side cap, white plastic, for carrier</b> with eyelet for sliding rod	21618.20
	<b>Flat profile 30 x 5 mm</b>  Aluminium, natural anodised	21696.10
	Aluminium, white, RAL 9016	21696.20
	Stock lengths of 3 m <span style="float: right;">Made-to-measure + 20%</span>	

	Article description	Order no.	
	<b>Carrier, aluminium, white, fully assembled</b> with side cap 21618.20, made-to-measure (from 80 cm with 3 Clic gliders)	21651.20 21653.20 21655.20 21657.20 21659.20 21661.20 21663.20 21665.20 21667.20 21669.20 21671.20	
		<b>Carrier, aluminium, white, fully assembled</b> including flat profile 30 x 5 mm white made-to-measure (from 80 cm with 3 Clic gliders) for the Hamotec panel curtain system	21634.20 21635.20 21636.20 21637.20 21638.20 21639.20 21640.20 21641.20 21642.20 21643.20 21644.20