



Curtain and picture ceiling profile for embedding in plaster with "mini" channel



Aluminium, white, RAL 9016

Original stock lengths of 6 m

"mini" accessories



Installation accessories



Services


Made-to-measure including opening/insert, complete with inserted plaster strip



This profile cannot be bent

Installation












Ceiling installation plates, screwed and glued, with oval hole for levelling.




Caution: The opening for gliders needs to be made before installation.

Handling specification:

Ceiling treatment only with primer

	Article description	Order no.
	"mini" picture ceiling profile for embedding in plaster Aluminium, white, RAL 9016 fully assembled, plaster protection strip inserted into profile, treated with primer	21010.20.AP
	Stock lengths of 6 m	Made-to-measure + 20%
	Plaster protection strip, plastic 50 m rolls	21054.20
	Installation panel MP-190, black plastic 30 x 16 mm drilled	21055.27
	Rail hooks Galvanised iron White iron	 21092 21091.20
	Picture hook with adjustment screw aluminium	21094
	Picture hook self-locking	21106
	Picture hook galvanised steel	21093
	Adjustment wheel / adjustment screw, galvanised Only use with polyester cord	21095.41
	Picture cord Ø 2 mm, white polyester 500 m rolls	21096.20
	Picture set with white polyester cord with adjustment wheel, 4 hooks and 3 m picture cord, maximum load-bearing capacity 15 kg	21090

	Article description	Order no.
--	---------------------	-----------



Perlon picture cord, Ø 2 mm
with twister glider 150 cm

21104