


Curtain profile and picture rail with "maxi" / "sixo" channel




Aluminium, natural anodised


Aluminium, white, RAL 9016

Stock lengths of 6 m

"maxi" accessories



Installation accessories











Services

Made-to-measure including opening

Installation instructions, see next page

Installation























Wall installation with Rail-Line bracket




Fixings approx. every 40 cm



	Article description	Order no.
	<p>Curtain profile and picture rail with "maxi"/"sixo" channel</p> <p>Aluminium, natural anodised</p> <p>Aluminium, white, RAL 9016</p>	<p>20300.10</p> <p>20300.20</p>
	<p>Stock lengths of 6 m</p>	<p>Made-to-measure + 20%</p>
	<p>Wall installation clip 3 mm</p> <p>Plastic, white</p>	<p>21303.20</p>
	<p>Ceiling bracket 25 mm</p> <p>Plastic, white</p>	<p>21304.20</p>
	<p>Wall installation bracket 26 mm</p> <p>Plastic, white</p>	<p>21305.20</p>
	<p>Universal installation bracket 30 mm</p> <p>Plastic, white</p>	<p>21302.20</p>
	<p>Profile connector V300, 70 mm</p> <p>Plastic, white</p>	<p>21309.20</p>
	<p>Side cap S20300</p> <p>Plastic, grey</p>	<p>21308.14</p>
	<p>Plastic, white</p>	<p>21308.20</p>
	<p>Eyelet roller with shaft</p>	<p>25287</p>
	<p>Eyelet roller with rotatable eyelet</p>	<p>25288</p>

	Article description	Order no.																		
	Eyelet roller with hook	25289																		
	“sixo” cross-bracket glider HC3 for profile channel width 5.8-6.2 mm	25503																		
	“sixo” longitudinal bracket glider HC4 for profile channel width 5.8-6.2 mm	25504																		
	Rail-Line wall bracket, aluminium, undrilled including bracket cap, wall cover, installation plate, brass sleeve, fully assembled	<p style="text-align: right;">Projection up to</p> <table border="0"> <tr> <td>Matt aluminium</td> <td>7 cm</td> <td>21431.12</td> </tr> <tr> <td></td> <td>10 cm</td> <td>21432.12</td> </tr> <tr> <td></td> <td>15 cm</td> <td>21434.12</td> </tr> <tr> <td>Aluminium, white</td> <td>7 cm</td> <td>21431.20</td> </tr> <tr> <td></td> <td>10 cm</td> <td>21432.20</td> </tr> <tr> <td></td> <td>15 cm</td> <td>21434.20</td> </tr> </table>	Matt aluminium	7 cm	21431.12		10 cm	21432.12		15 cm	21434.12	Aluminium, white	7 cm	21431.20		10 cm	21432.20		15 cm	21434.20
Matt aluminium	7 cm	21431.12																		
	10 cm	21432.12																		
	15 cm	21434.12																		
Aluminium, white	7 cm	21431.20																		
	10 cm	21432.20																		
	15 cm	21434.20																		
	Picture rail hanger top part aluminium	21099																		
	Picture hook with adjustment screw aluminium	21094																		
	Picture hook self-locking	21106																		
	Nylon picture cord Ø 2 mm, transparent 250 m rolls	21097.25																		
	Perlon picture cord, Ø 2 mm 6-edged glider, 150 cm, including support disc	21101																		
	Perlon picture cord, Ø 2 mm with plate glider, 150 cm, including washer <i>Corde d'image perlon, Ø 2 mm</i> <i>avec glisseur plateau, 150 cm, incl. rondelle</i>	21102																		

	Article description	Order no.
	Picture set, max. 10 kg load-bearing capacity Length 150 cm	21100

Bending service
Plan view (seen from above). State room side.

Radii: from 120 to 200 mm

95.20300.1

Radii: up to 500 mm

95.20300.2

Radii: up to 1000 mm

95.20300.3

90° angle or angle of your choice


Non-standard radii and angles as per sketch

95.20300.4